SQ40D0C

COMBI OVEN 40 TRAYS GN 1/1 - 20 GN 2/1
DIGITAL CONTROL
SELF CLEANING INTEGRATED

VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it

FUNCTIONAL CHARACTERISTICS	
Display	DIGITAL + ENCODER
Supply	ELECTRIC
Timer	-
Number of motors	4
Motor speeds	2
Max cooking temperature (°C)	260°C
Core probe	Single point TCJ (Optional)
Cooking chamber material	AISI304
Opening door	Right handle
Chimney	50 mm motorized
Humidification	Direct injection
Air injection	-
Self-washing	Automatic
STANDARDS	
Certification	CE
TRAYS	
Trays rack	Trolley GA 40/66
Max tray load	4 kg
DIMENSIONS	
Oven size with handle WxDxH (mm)	1051 X 1248 X 1881
Oven size without handle WxDxH (mm)	1051 X 1184X 1900
Chamber size WxDxH (mm)	700 X 726 X 1496
Unit weight (Kg)	285,8
PACKAGING	
Packaging	PALLET + CRATE
Packaging size WxDxH (mm)	1150 X 1345 X 2060
Unit weight with packaging (Kg)	395
ELECTRICAL DATA	
HEATERS 10,5kW 50Hz - Single power supply	
Power	43,1kW
Frequency	50Hz

VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it

Power supply	380-415V 3N~
Amperage	65,8A
Power cord req.	5G25
HEATERS 10,5kW 60Hz - Single power supply	
Power	43,7kW
Frequency	60Hz
Power supply (standard)	380-415V 3N~
Amperage (standard)	68,3A
Power cord req. (standard)	5G25
WATER CONNECTION REQUIREMENTS	
Humidification Water Inlet	3/4" GAS
Washing Water Inlet	10mm quick fitting
Water drain	2x30 mm
Max water hardness	5°f
Water pressure requirement min-max	150-200 kPa
CONSUMPTION	
Humidification Water (L/h)	16,1l/h max consumption
Rinse Water @2barG	35,5l
Short Washing Water @2barG	75l
Long Washing Water @2barG	139l
Short Washing Detergent *	468,8g
Long Washing Detergent *	669,7g
CONNECTIVITY	
USB	-
Bluetooth	-
Wi-Fi	-
Cloud	-
ACCESSORIES	
Self clean system kit	-
Oven stand	-
Hood (Air)	-

Hood (Water)	POSLMWF1 POSLMWF2
Core Probe	CP1
Proofer	-
Stacking kit for 2 ovens	-
Smoker	SMK02
Bast Chiller	-
Blast chiller stacking kit	-
Water softner cover	WS10
Water softner 6800L	WS11
Water softner 12000L	WS12
Water pressure adapter	WPA
Water shower kit	S1
Detergent 6KG	DT2
Detergent 10KG	DT4

VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it