



## R063DGC

COMPACT COMBI OVEN 6 TRAYS GN 2/3  
DIGITAL 2.4" LCD DISPLAY  
SELF CLEAN INTEGRATED



## FUNCTIONAL CHARACTERISTICS

Display	2,4" LCD IPS
Supply	Electric
Timer	-
Number of motors	1
Motor speeds	5
Max cooking temperature	260 [°C]
Core probe	Single point PT1000
Cooking chamber material	AISI 304
Opening door	Right handle Left handle (optional)
Chimney	30 [mm] open
Humidification	Direct Injection
Air injection	-
Version	Standard

## STANDARDS

Certification	CE
---------------	----

## TRAYS

Trays rack	Metal sheet GA 8/46,5 [mm] (GN2/3)
Max tray load	4 [kg]

## DIMENSIONS

Oven size with handle WxDxH (mm)	532 x 738 x 748
Oven size without handle WxDxH (mm)	532 x 690 x 748
Chamber size WxDxH (mm)	380 x 388 x 376
Unit weight (Kg)	63

## PACKAGING

Packaging	PALLET + CARTON BOX
Packaging size WxDxH (mm)	600 x 1000 x 927
Packaging size overlapping WxDxH (mm) 6+6	600x1000x1854
Packaging size overlapping WxDxH (mm) 10+10	600x1000x2215
Packaging size overlapping WxDxH (mm) 10+6	600x1000x2035

Unit weight with packaging (Kg)	77
Crate packaging size (optional)	600 x 1008 x 1019
<b>ELECTRICAL DATA</b>	
<b>HEATERS 5kW 50/60Hz</b>	
Power	5,3kW
Frequency	50/60Hz
Power supply	380-415V 3N~/220-240V 3~
Amperage	8,3A / 13,5A
Power cord req.	5G1 / 4G1,5
<b>WATER CONNECTION REQUIREMENTS</b>	
Humidification Water Inlet	3/4" M Gas threaded
Washing Water Inlet	3/4" M Gas threaded
Water drain	30 [mm]
Max water hardness	5 [°f]
Water pressure requirement min-max	150-200 [kPa]
<b>CONSUMPTION</b>	
Humidification Water (L/h)	3,9l/h max consumption
Rinse Water @2barG	7,9l
Short Washing Water @2barG	24,9l
Long Washing Water @2barG	31,1l
Short Washing Detergent *	70,3g
Long Washing Detergent *	141g
<b>CONNECTIVITY</b>	
USB	USB 2.0
Bluetooth	-
Wi-Fi	Standard
Cloud	Standard
<b>ACCESSORIES</b>	
Self clean system kit	-
Oven stand	TA5361H80 TA5361H50 TA5361H30

Hood (Air)	-
Water condensation hood	-
Proofer	-
Stacking kit for 2 ovens	SK11
Smoker	SMK02
Water softner cover	WS10
Water softner 6800L	WS11
Water softner 12000L	WS12
Water pressure adapter	WPA
Water shower kit	S7
Detergent 750ML (for Self clean system or Manual shower kit)	DT1
Detergent 6KG (only with self clean system)	DT2
Detergent 10KG (only with self clean system)	DT4