



## SG06TCC

BAKERY OVEN 6 TRAYS 600 X 400 - GN 1/1  
7" TOUCH CONTROL  
SELF CLEAN INTEGRATED



## FUNCTIONAL CHARACTERISTICS

Display	7" CAPACITIVE TOUCH
Supply	ELECTRIC
Timer	-
Number of motors	2
Motor speeds	10
Max cooking temperature (°C)	260°C
Core probe	3 Points PT1000
Cooking chamber material	AISI304
Opening door	Right handle
Chimney	50 mm Motorized valve

## STANDARDS

Certification	CE
---------------	----

## TRAYS

Trays rack	Sheet PA-BIV 6/80 Sheet PA 6/80 Trolley rails
Max tray load	4kg

## DIMENSIONS

Oven size with handle WxDxH (mm)	792 x 1021 x 941
Oven size without handle WxDxH (mm)	793 x 954 x 941
Chamber size WxDxH (mm)	460 x 630 x 612
Unit weight (Kg)	100

## PACKAGING

Packaging	PALLET + CARTON BOX
Packaging size WxDxH (mm)	880 x 1110 x 1116
Unit weight with packaging (Kg)	115
Crate packaging size (optional)	880 X 1110 X 1118

## ELECTRICAL DATA

<b>HEATERS 5kW 50/60Hz</b>	
Power	10,8kW
Frequency	50/60Hz
Power supply	380-415V 3N~/220-240V 3~
Amperage	17,8A /27,98A
Power cord req.	5G2,5/ 4G4

<b>HEATERS 6,5kW 50/60Hz</b>	
Power	12,7kW
Frequency	50/60Hz
Power supply	380-415V 3N~/220-240V 3~
Amperage	20,6A / 32,8A
Power cord req.	5G2,5/ 4G6
<b>HEATERS 5KW 200V 50/60Hz</b>	
Power	8,3kW
Frequency	50/60Hz
Power supply	200V 3~
Amperage	24,96A
Power cord req.	4G6
<b>WATER CONNECTION REQUIREMENTS</b>	
Humidification /Washing Water Inlet	3/4" GAS
Water drain	50 mm
Max water hardness	5°f
Water pressure requirement min-max	150-200 kPa
<b>CONSUMPTION</b>	
Humidification Water (L/h)	4,1l/h max consumption
Rinse Water @2barG	17,8l
Short Washing Water @2barG	34,3l
Long Washing Water @2barG	70,9l
Short Washing Detergent *	234,4g
Long Washing Detergent *	334,8g
<b>CONNECTIVITY</b>	
USB	USB 2.0
Bluetooth	-
Ethernet RJ45	-
Wi-Fi	Standard
Cloud	Available as Optional
<b>ACCESSORIES</b>	
Self clean system kit	S1

Oven stand	TA7984H17X TA7984H30X TA7984H40S-TA7984H40X TA7984H49S-TA7984H49X TA7984H70S-TA7984H70X TA7984H80S-TA7984H80X
Hood (Air)	POSGMAF1 POSGMAF2
Hood (Water)	POSGMWF1 POSGMWF2
External Core Probe	CP5 (020SON0007)
Sous Vide Core Probe	CP4 (020SON0010)
Proofer	CA7912
Stacking kit for 2 ovens	SKSG15 SKSG85
Smoker	SMK02
Bast Chiller	ASP05
Blast chiller stacking kit	SK16
Water softner cover	WS10
Water softner 6800L	WS11
Water softner 12000L	WS12
Water pressure adapter	WPA
Water shower kit	S1
Detergent 6KG	DT2
Detergent10KG	DT4