



ASP033EVF

ASPEN BLAST CHILLER
3 TRAYS GN 2/3
DIGITAL CONTROL



FUNCTIONAL CHARACTERISTICS

Display	Digital
Supply	ELECTRIC
Number of evaporator motors	1
Evaporator Motor speeds	1
Number of condenser motors	2
Condenser Motor speeds	1
Min chamber temperature (°C)	-35 °C
Core probe	PTC (optional)
Chamber material	AISI 304
Frame material	AISI 304
Opening door	Right handle
Door gasket	Magnetic removable
Door frame	Heated inspectable
Insulation	CFC-HFC free HD Poliurethane 50mm

STANDARDS

Certification	CE
---------------	----

TRAYS

Trays rack	Wire GN2/3 3/85
Max tray load	4kg

DIMENSIONS

Blast chiller size with handle WxDxH (mm)	655 x 640 x 460
Chamber gross volume (L)	36 L
Chamber usefull volume (L)	34 L
Unit weight (Kg)	50 kg

PACKAGING

Packaging	PALLET + CARTON BOX
Packaging size WxDxH (mm)	700 x 660 x 510
Unit weight with packaging (Kg)	60 kg



ELECTRICAL DATA

Power	0,5kW
Frequency	50/60Hz
Power supply	220-230V 1N~
Amperage	3,5A
Power cord req.	3G1,5

REFRIGERATION CIRCUIT

Cooling capacity**	730 W
Cooling capacity per cycle (+90°C > +3°C)	10 kg
Freezing capacity per cycle (+90°C > -18°C)	6 kg
Refrigerant	R452a
Refrigerant load	0,45 kg
Evaporator	Anti-corrosion coating
Climate class	5 (43°C)
Defrost	Evaporator Fan
CO2 equivalent	1,69 Tons

FUNCTIONS

Blast chilling cycles	Soft / hard
Deep Freezing	Soft / hard
Temperature regulation	Core probe / Time
Storage	+3°C/-18° automatic
Fish sanification	Not available
Ice cream	Not available
Recipes	Not available
Thowing	Not available

CONNECTIVITY

USB	-
Bluetooth	-
Wi-Fi	-
Cloud	-

ACCESSORIES

Stacking kit	Not available
Heated core probe	Not available
Pivoting wheel kit	Not available

**Evap-10°, Cond. 45

