



## SQ12ADG0

GAS COMBI OVEN 12 TRAYS - GN 1/1  
2,4" DIGITAL LCD CONTROL



## FUNCTIONAL CHARACTERISTICS

Display	2,4" LCD IPS
Supply	Natural gas / GPL
Timer	-
Number of motors	3
Motor speeds	2
Max cooking temperature (°C)	260 °C
Core probe	Single point PT1000
Cooking chamber material	AISI304
Opening door	Right handle
Chimney	50 mm open
Humidification	Direct Injection
Air Injection	-
Version	Standard

## STANDARDS

Certification	CE-GAR-CB
---------------	-----------

## TRAYS

Trays rack	Wire GA 12/70 mm
Max tray load	4 kg

## DIMENSIONS

Oven size with handle WxDxH (mm)	939x933x1321
Oven size without handle WxDxH (mm)	939x868x1321
Chamber size WxDxH (mm)	660x486x948
Unit weight (Kg)	164

## PACKAGING

Packaging	PALLET + CARTON BOX
Packaging size WxDxH (mm)	1020x970x1422
Unit weight with packaging (Kg)	187
Crate packaging size (optional)	-

## ELECTRICAL DATA

50Hz	
Power	0,58kW
Frequency	50Hz



Power supply	220-240V 1N~
Amperage	2,64A
Power cord req.	3G1,5
<b>60Hz</b>	
Power	0,79 kW
Frequency	60Hz
Power supply	220-240V 1N~
Amperage	3,59A
Power cord req.	3G1,5
<b>BURNER DATA</b>	
G30-G31 POWER (KW)	20
G20 POWER (KW)	20
<b>WATER CONNECTION REQUIREMENTS</b>	
Humidification Water Inlet	3/4" M Gas threaded
Washing Water Inlet	8mm quick fitting
Water drain	30 mm
Max water hardness	5°f
Water pressure requirement min-max	150-200 kPa
<b>CONSUMPTION</b>	
Humidification Water (L/h)	23,6l/h max consumption
Rinse Water @2barG	-
Short Washing Water @2barG	-
Long Washing Water @2barG	-
Short Washing Detergent *	-
Long Washing Detergent *	-
<b>CONNECTIVITY</b>	
USB	USB 2.0
Bluetooth	-
Wi-Fi	Yes
Cloud	Yes
<b>ACCESSORIES</b>	
Nozzle kit	85BRU00019 (GAS03)
Self clean system kit	-



Oven stand	TA9374H30X TA9374H40X-TA9374H40S TA9374H49X-TA9374H49S TA9374H70X-TA9374H70S TA9374H80X-TA9374H80S
Hood (Air)	-
Hood (Water)	-
External Core probe	CP5 (020SON0007)
Sous vide probe	CP4 (020SON0010)
Proofer	CA9308M0 CA9308MH CA9308DH CA9312M0 CA9312MH CA9312DH
Stacking kit for 2 ovens	-
Smoker	SMK02
Blast chiller	KDA03 KDA05
Blast chiller stacking kit	SK43
Water softner cover	WS10
Water softner 6800L	WS11
Water softner 12000L	WS12
Water pressure adapter	WPA
Water shower kit	S1
Detergent 6KG	DT2
Detergent 10KG	DT4

