



## SQ12AMVN0

GAS COMBI OVEN 12 TRAYS - GN 1/1  
MECHANICAL CONTROL  
LINEAR SCALE



## FUNCTIONAL CHARACTERISTICS

Display	Analogic
Supply	Natural gas / GPL
Timer	Linear scale
Number of motors	3
Motor speeds	2
Max cooking temperature (°C)	260 °C
Core probe	-
Cooking chamber material	AISI304
Opening door	Right handle
Chimney	50 mm open
Humidification	Direct Injection
Air Injection	-
Version	Standard

## STANDARDS

Certification	CE-GAR-CB
---------------	-----------

## TRAYS

Trays rack	Wire GA 12/70 mm
Max tray load	4 kg

## DIMENSIONS

Oven size with handle WxDxH (mm)	939x933x1321
Oven size without handle WxDxH (mm)	939x868x1321
Chamber size WxDxH (mm)	660x486x948
Unit weight (Kg)	164

## PACKAGING

Packaging	PALLET + CARTON BOX
Packaging size WxDxH (mm)	1020x970x1422
Unit weight with packaging (Kg)	187
Crate packaging size (optional)	-

## ELECTRICAL DATA

50Hz	
Power	0,58 kW
Frequency	50Hz
Power supply	220-240V 1N~



Amperage	2,64A
Power cord req.	3G1,5
<b>60Hz</b>	
Power	0,79 kW
Frequency	60Hz
Power supply	220-240V 1N~
Amperage	3,59A
Power cord req.	3G1,5
<b>BURNER DATA</b>	
G30-G31 POWER (KW)	20
G20 POWER (KW)	20
<b>WATER CONNECTION REQUIREMENTS</b>	
Humidification Water Inlet	3/4" M Gas threaded
Washing Water Inlet	8 mm quick fitting
Water drain	30 mm
Max water hardness	5°f
Water pressure requirement min-max	150-200 kPa
<b>CONSUMPTION</b>	
Humidification Water (L/h)	22,4l/h consumption
Rinse Water @2barG	-
Short Washing Water @2barG	-
Long Washing Water @2barG	-
Short Washing Detergent *	-
Long Washing Detergent *	-
<b>CONNECTIVITY</b>	
USB	USB 2.0
Bluetooth	-
Wi-Fi	Yes
Cloud	Yes
<b>ACCESSORIES</b>	
Nozzle kit	85BRU00019 (GAS03)
Self clean system kit	-



Oven stand	TA9374H30X TA9374H40X-TA9374H40S TA9374H49X-TA9374H49S TA9374H70X-TA9374H70S TA9374H80X-TA9374H80S
Hood (Air)	-
Hood (Water)	-
External Core probe	-
Sous vide probe	CA9308M0 CA9308MH CA9308DH CA9312M0 CA9312MH CA9312DH
Proofer	-
Stacking kit for 2 ovens	SMK02
Smoker	KDA03 KDA05
Blast chiller	SK43
Blast chiller stacking kit	WS10
Water softner cover	WS11
Water softner 6800L	WS12
Water softner 12000L	WPA
Water pressure adapter	S1
Water shower kit	DT2
Detergent 6KG	DT4
Detergent 10KG	DT4

