



T043DIHAAR

CONVECTION OVEN 4 TRAYS 450X340 - GN 2/3*
DIGITAL CONTROL

*Optional tray rack support for GN 2/3



FUNCTIONAL CHARACTERISTICS

| | |
|------------------------------|----------------------------|
| Display | DIGITAL |
| Supply | ELECTRIC |
| Timer | - |
| Number of motors | 1 speed + reverse rotation |
| Motor speeds | 1 |
| Max cooking temperature (°C) | 260 |
| Probe | Single point PT1000 |
| Cooking chamber material | AISI 430 |
| Opening door | Flap door |
| Chimney | 20mm open |
| Humidification | Direct Injection |
| Air Injection | - |
| Version | Standard |

STANDARDS

| | |
|---------------|----|
| Certification | CE |
|---------------|----|

TRAYS

| | |
|---------------|--------------|
| Trays rack | Wire PA 4/75 |
| Max tray load | 3Kg |

DIMENSIONS

| | |
|-------------------------------------|-----------------|
| Oven size with handle WxDxH (mm) | 560 x 683 x 530 |
| Oven size without handle WxDxH (mm) | 560 x 639 x 530 |
| Chamber size WxDxH (mm) | 474 x 378 x 320 |
| Unit weight (Kg) | 33 |

PACKAGING

| | |
|---------------------------------|---------------------|
| Packaging | PALLET + CARTON BOX |
| Packaging size WxDxH (mm) | 584 x 724 x 680 |
| Unit weight with packaging (Kg) | 41 |
| Crate packaging size (optional) | - |

ELECTRICAL DATA

| | |
|-----------------------|----------|
| Heaters 2,8kW 50/60Hz | |
| Power | 3kW |
| Frequency | 50/60 Hz |



| | |
|-----------------|------------|
| Power supply | 220-240V ~ |
| Amperage | 13,3A |
| Power cord req. | 3G1,5 |

WATER CONNECTION REQUIREMENTS

| | |
|------------------------------------|-------------|
| Humidification Water Inlet | YES |
| Washing Water Inlet | - |
| Water drain | - |
| Max water hardness | 5° f |
| Water pressure requirement min-max | 150-200 kPa |

CONSUMPTION

| | |
|--|----------------------|
| Humidification Water with solenoid valve | 2l/h max consumption |
| Humidification Water with pump | - |
| Rinse Water @2barG | - |
| Short Washing Water @2barG | - |
| Long Washing Water @2barG | - |
| Short Washing Detergent * | - |
| Long Washing Detergent * | - |

CONNECTIVITY

| | |
|-----------|---|
| USB | - |
| Bluetooth | - |
| Wi-Fi | - |
| Cloud | - |

ACCESSORIES

| | |
|--------------------------|--|
| Self clean system kit | - |
| Oven stand | TA6054H60X - TA6054H60S TA6054H80X - TA6054H80S |
| Wheels kit for stand | R100 |
| Hood (Air) | - |
| Hood (Water) | POCK |
| Core probe | - |
| Proofer | CA6008M0 CA6008MH CA6008DH |
| Stacking kit for 2 ovens | SKTC43N00 |
| Smoker | - |



| | |
|---|-------------------------|
| Blast chiller | KDA03 KDA05 ASP05 |
| Blast chiller stacking kit | - |
| Water softner cover | WS10 |
| Water softner 6800L | WS11 |
| Water softner 12000L | WS12 |
| Water pressure adapter | WPA |
| Water shower kit | - |
| Detergent 750ML (for Self clean system or Manual shower kit) | - |
| Detergent 6 Kg | - |
| Detergent 10 Kg | - |
| Air reducer | RID06 |

