

CIAOU2MAL4B

HIGH SPEED OVEN
DUAL TECHNOLOGY:
3D IMPINGEMENT + MICROWAVE
7" IPS TOUCH SCREEN

FUNCTIONAL CHARACTERISTICS	
Display	7" CAPACITIVE
Color	Black
Magnetron	2 x 1000W
Heater	2,8kW
Supply	Electric
Number of motors	1
Motor speeds	10 speeds
Max cooking temperature	270°C / 518°F
Core probe	Single point PT1000
Cooking chamber material	AISI304
Opening door	Flap door
Chimney	20 mm / 0.8 in - open
Version	Standard
Ventless	Standard

VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it

STANDARDS	
Certification	ETL
TRAYS	
Trays rack	Sheet metal single level
Max tray load	3 kg / 6.6 lb
Standard tray	50GPP00081
DIMENSIONS	
Oven size with handle WxDxH	363 x 730 x 630 mm / 14.3 x 28.7 x 24.8 in
Oven size without handle WxDxH	363 x 679 x 630 mm / 14.3 x 26.7 x 24.8 in
Chamber size WxDxH	310 x 320 x 170 mm / 12.2 x 12.6 x 6.7 in
Unit weight	71 kg / 156.5 lb
PACKAGING	
Packaging	Pallet + carton box
Packaging size WxDxH	410 x 790 x 780 mm / 16.1 x 31.1 x 30.7 in
Unit weight with packaging	77.6 kg / 171.1 lb
Crate packaging size (optional)	410 x 790 x 780 mm / 16.1 x 31.1 x 30.7 in
Unit weight with crate packaging (optional)	89 kg / 196.2 lb

ELECTRICAL DATA

HEATERS 2,8kW 50Hz


Power	6,6kW
Frequency	60Hz
Power supply	208-240V~
Amperage	30A
Power cord req.	SJOOW 3X8 + SP.NEMA 6-30P 1~


CONNECTIVITY	
USB	USB 2.0
Bluetooth	Standard
Wi-Fi	Standard
Cloud	Standard


VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it


ACCESSORIES	
Removal paddle (standard)	CIAOFLA
Panini press (optional)	CIAOPPR
Spatula for panini press (optional)	CIAOPPS
Non-stick sheet 270 x 270 mm / 10.6 x 10.6 in (standard)	50GPP00086
Oven cavity protector (optional)	50GPP00093
Teflon tray 140 x 140 x 15 mm / 5.5 x 5.5 x 0.6 in (optional)	50GPP00094
Teflon tray 140 x 280 x 15 mm / 5.5 x 11.0 x 0.6 in (optional)	50GPP00095
Teflon tray 280 x 280 x 15 mm / 1.0 x 11.0 x 0.6 in (optional)	50GPP00096
Resealable Teflon tray 280 x 280 x 40 mm / 11.0 x 11.0 x 1.6 in (optional)	50GPP00097
Detergent (optional)	50DET00003

VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it









1	CAPACITIVE LCD CONTROL
2	AIR INTAKE
3	SAFETY THERMOSTAT

4	EQUIPOTENTIAL TERMINAL
5	CABLE GLAND
6	CHIMNEY OUTPUT

VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it