

SPZLULR0AGR0V BLACK

HIGH - SPEED CONVECTION OVEN
2,4" DIGITAL LCD CONTROL

FUNCTIONAL CHARACTERISTICS	
Display	Digital
Supply	Electric
Timer	-
Number of motors	1
Motor speeds	5 speed + inverter
Max cooking temperature	500 °F
Probe	Single point PT1000
Cooking chamber material	AISI304
Opening door	Flap door
Chimney	0.8 in opening
Humidification	-
Air injection	-
Version	Standard
Venteless	Ventless


VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it


STANDARDS	
Certification	ETL
TRAYS	
Trays rack	Sheet metal single level
Max tray load	6.6 lb
Pizza tray	85GRI00350 (Optional)
Perforated pizza tray	85GRI00405 (Optional)
Crumb tray	85VAS00091 (Standard)
DIMENSIONS	
Oven size with handle WxDxH	24.0 × 32.8 × 24.0 in
Oven size without handle WxDxH	24.0 × 31.1 × 24.0 in
Chamber size WxDxH	18.5 × 18.1 × 8.4 in
Unit weight	129.6 lb
PACKAGING	
Packaging	Pallet + carton box
Packaging size WxDxH	27.3 × 34.4 × 25.8 in
Unit weight with packaging	200.6 lb
Crate packaging size (optional)	25.3 × 34.8 × 24.6 in
ELECTRICAL DATA	
HEATERS 5kW 50/60Hz	
Power	5,1kW
Frequency	60Hz
Power supply	208-240V ~
Amperage	24A
Power cord req.	AWG10 + NEMA L6-30P
WATER CONNECTION REQUIREMENTS	
Humidification Water Inlet	-
Washing Water Inlet	-
Water drain	-
Max water hardness	-
Water pressure requirement min-max	-


VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it


CONSUMPTION	
Humidification Water with solenoid valve	-
Humidification Water with pump	-
Rinse Water @2barG	-
Short Washing Water @2barG	-
Long Washing Water @2barG	-
Short Washing Detergent *	-
Long Washing Detergent *	-
CONNECTIVITY	
USB	USB 2.0
Bluetooth	-
Wi-Fi	Standard
Cloud	Standard
ACCESSORIES	
Stacking kit	85KIT00212
Pizza paddle	SPZLFLA (Optional)
Panini paddle	SPZLSHO (Optional)
Panini press	85GRI00351 (Optional)
Teflon sheet	50GPP00090 (Optional)

VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it









07.	UNIPOTENTIAL TERMINAL
08.	COMPRESSION CABLE GLAND
09.	HOT FUMES EXHAUST CHIMNEY (Ø 0.8 IN)

10.	DIGITAL CONTROL
20.	USB CONNECTION
33.	SAFETY THERMOSTAT

VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it