

SPZULR0AER0V BLACK

HIGH - SPEED CONVECTION OVEN
2,4" DIGITAL LCD CONTROL

FUNCTIONAL CHARACTERISTICS	
Display	Digital
Supply	Electric
Timer	-
Number of motors	1
Motor speeds	5 speed + inverter
Max cooking temperature	500°F
Probe	Single point PT1000
Cooking chamber material	AISI304
Opening door	Flap door
Chimney	0.8 in open
Humidification	-
Air injection	-
Version	Standard
Venteless	Ventless


VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it


STANDARDS	
Certification	ETL
TRAYS	
Trays rack	Sheet metal single level
Max tray load	6.6 lb
Pizza tray	85GRI00327 (Optional)
Perforated pizza tray	85GRI00406 (Optional)
Crumb tray	85VAS00080 (Standard)
DIMENSIONS	
Oven size with handle WxDxH	18.1 × 25.8 × 20.7 in
Oven size without handle WxDxH	18.1 × 24.0 × 20.7 in
Chamber size WxDxH	12.6 × 12.4 × 8.5 in
Unit weight	89 lb
PACKAGING	
Packaging	Carton box
Packaging size WxDxH	21.3 × 27.6 × 26.6 in
Unit weight with packaging	107 lb
Crate packaging size (optional)	20.1 × 28.3 × 26.4 in
Unit weight with crate packaging (optional)	136 lb
ELECTRICAL DATA	
HEATERS 3,1kW 50/60Hz	
Power	3,2kW
Frequency	60Hz
Power supply	208-240 V ~
Amperage	14,2A
Power cord req.	AWG12 + NEMA 6-20P
WATER CONNECTION REQUIREMENTS	
Humidification Water Inlet	-
Washing Water Inlet	-
Water drain	-
Max water hardness	-
Water pressure requirement min-max	-


VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it


CONSUMPTION	
Humidification Water with solenoid valve	-
Humidification Water with pump	-
Rinse Water @2barG	-
Short Washing Water @2barG	-
Long Washing Water @2barG	-
Short Washing Detergent *	-
Long Washing Detergent *	-
CONNECTIVITY	
USB	USB 2.0
Bluetooth	-
Wi-Fi	Standard
Cloud	Standard
ACCESSORIES	
Hood	POSPZ*
Stacking kit	85KIT00211
Pizza paddle	SPZFLA (Optional)
Panini paddle	SPZSHO (Optional)
Panini press	85GRI00310 (Optional)
Teflon sheet 10.63 × 10.63 in	50GPP00086 (Optional)
Teflon tray 12 × 12 × H 0.9 in	50GPP00087 (Optional)
Teflon sheet 12 × 12 in	50GPP00088 (Optional)

VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it









07.	UNIPOTENTIAL TERMINAL
08.	COMPRESSION CABLE GLAND
09.	HOT FUMES EXHAUST CHIMNEY (Ø20MM)

10.	DIGITAL CONTROL
20.	USB CONNECTION
33.	SAFETY THERMOSTAT

VENIX SRL Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it